

SUBSTITUTE SPECIFICATION

Please enter the enclosed substitute Specification included with this Response. No new matter is added in this substitute Specification. SEQ ID NOS have been entered into the Specification and typographical errors have been corrected. Blanks have been filled in the "Cross Reference to Related Applications" section to provide the assigned application serial numbers. No new matter has been added. The substitute Specification includes the addition of numerals for the SEQ ID NOS designations in the originally filed Specification and rectifies the following minor typographical errors: (i) on page 13 line 1, "suc" has been corrected to read "such"; (ii) on page 29, line 11, "approbate" has been corrected to read "appropriate"; (iii) on page 31, lines 24 the spelling of the word "inflation" has been corrected to "inflammation"; (iv) on page 32, line 3 the spelling of "antiinflammatory" has been corrected to "antiinflammatory"; (v) on page 32, lines 8 and 19, the spelling of the word "inflation" has been corrected to "inflammation"; (vi) on page 32, line 19, the spelling of the word "inflation" has been corrected to "inflammation"; (vii) on page 32, line 28 the spelling of "prevelant" has been corrected to "prevalent"; (viii) on page 33, line 19; the spelling of the word "inflation" has been corrected to "inflammation"; (ix) on page 34, line 13 the spelling of the word "inflation" has been corrected to "inflammation"; (x) on page 34, line 18 the spelling of "Approxiamtely" has been corrected to "Approximately"; (xi) on page 34, line 20 "Inflamatory" is replaced with "Inflammatory"; (xii) on page 57, line 19 the second occurrence of fusion in "fusion fusion" has been deleted to read "fusion"; (xiii) on page 57, line 26 the spelling of "*Salmonella typhimurium*" has been corrected to "*Salmonella typhimurium* "; (xiv) on page 58, line 26 the spelling of the word "adminstered" has been corrected to "administered"; and (xv) on page 70, line 20 the word "or" has been deleted.